




**M68**  



---

*speedy*  
by CASMA®

**speedy**  
byCASMA®  
**M68**




**EN1154 Tested**



**1** Tutte le teste di perno internazionali  
All kind of International spindles heads  
Levas disponibles en todas las gamas internacionales



**2** Fusione in ghisa  
Cast Iron body  
Fusión en hierro



**3** Tassello del coperchio in finitura  
Cover in two pieces in the same finishes  
Tapita en acabado de la tapa





**4** Posizione del coperchio regolabile  
Adjustable cover position  
Posición de la tapa regulable

**5** Valvola di sicurezza  
Safety valve  
Válvula de seguridad



# Disponibile a breve

Available soon/*Disponibile en breve*



**Teste di perno intercambiabile**  
Interchangeable spindle heads  
*Levas intercambiables*

**Fissaggio del corpo alla cassetta a cementare**  
Body fixed to the cement case  
*Fijación del cuerpo a la caja a cementar*

**speedy**  
byCASMA®

**CASMA S.p.A.**

Via Primo Maggio, 86 - 20013 **MAGENTA** (MI) - Italy  
ph. +39 02 97298418 - fax +39 02 97299006  
[www.casma.com](http://www.casma.com) - [casma@casma.it](mailto:casma@casma.it)